Virus Research, 27 (1993) 285–287
© 1993 Elsevier Science Publishers B.V. All rights reserved 0168-1702/93/$06.00

Author Index

Accardi, L., Grò, M.C., Di Bonito, P. and Giorgi, C.
Toscana virus genomic L segment: molecular cloning, coding strategy and amino acid sequence in comparison with other negative strand RNA viruses (27) 119
Andzhaparidze, O.G., see Shchelkunov, S.N. (27) 25
Auvinen, P., see Hyypiä, T. (27) 71

Baldwin, B.H., see Kew, M.C. (27) 229
Belanov, E.F., see Shchelkunov, S.N. (27) 25
Belavin, P.A., see Shchelkunov, S.N. (27) 25
Blinov, V.M., see Shchelkunov, S.N. (27) 25
Boga, J.A., see Parra, F. (27) 219
Bornkamm, G.W., see Cordier-Bussat, M. (27) 55
Boulton, R.E., see Foulds, I.J. (27) 79
Brears, T., see Foulds, I.J. (27) 79

Calender, A., see Cordier-Bussat, M. (27) 55
Casais, R., see Parra, F. (27) 219
Chestnut, T., see Kew, M.C. (27) 229
Chizhikov, V.E., see Shchelkunov, S.N. (27) 25
Chu, P.W.G., Keese, P., Qiu, B.-s., Waterhouse, P.M. and Gerlach, W.L.
Putative full-length clones of the genomic DNA segments of subterranean clover stunt virus and identification of the segment coding for the viral coat protein (27) 161
Chu, P.W.G., Qiu, B.-s., Li, Z.-y. and Larkin, P.
Replication of subterranean clover stunt virus in pea and subterranean clover protoplasts (27) 173
Cordier-Bussat, M., Calender, A., Vuillaume, M., Bornkamm, G.W. and Lenoir, G.M.
Expression of the Epstein-Barr virus (EBV) latent membrane protein is tightly regulated, independently of EB nuclear antigen 2 and of EBV integration or copy number (27) 55

Danis, C., Mabrouk, T., Garzon, S. and Lemay, G.
Establishment of persistent reovirus infection in SC1 cells: absence of protein synthesis inhibition and increased level of double-stranded RNA-activated protein kinase (27) 253
Di Bonito, P., see Accardi, L. (27) 119
Döller, G., see Günther, I. (27) 147

Favorov, M.O., see Khudyakov, Y.E. (27) 13
Fekadu, M., see Xianhe, B. (27) 101
Fields, H.A., see Khudyakov, Y.E. (27) 13
Folks, T.M., see Kitamura, K. (27) 113
Foulds, I.J., Lea, V.J., Sidebottom, C., James, C.M., Boulton, R.E., Brears, T., Slabas, A.R., Jack, P.L. and Stratford, R.
Cloning and sequence analysis of the coat protein gene of barley mild mosaic virus (27) 79
Frolov, I.V., see Shchelkunov, S.N. (27) 25
Frolova, T.V., see Gritsun, T.S. (27) 201

Garten, W., see Günther, I. (27) 147
Garzon, S., see Danis, C. (27) 253
Gashikov, P.V., see Shchelkunov, S.N. (27) 25
Gerlach, W.L., see Chu, P.W.G. (27) 161
Ghiringhelli, P.D., see Lozano, M.E. (27) 37
Giorgi, C., see Accardi, L. (27) 119
Glatthaar, B., see Günther, I. (27) 147
Goldbach, R., see Van der Vlugt, R.A.A. (27) 185
Gould, E.A., see Gritsun, T.S. (27) 201
Grau, O., see Lozano, M.E. (27) 37
Greer, P.W., see Kitamura, K. (27) 113
Gritsun, T.S., Frolova, T.V., Pogodina, V.V., Lashkevich, V.A., Venugopal, K. and Gould, E.A.
Nucleotide and deduced amino acid sequence of the envelope gene of the Vasilchenko strain of TBE virus; comparison with other flaviviruses (27) 201

Grò, M.C., see Accardi, L. (27) 119
Günther, I., Glatthaar, B., Döller, G. and Garten, W.
A H1 hemagglutinin of a human influenza A virus with a carbohydrate-modulated receptor binding site and an unusual cleavage site (27) 147
Gytorov, V.V., see Shchelkunov, S.N. (27) 25

Hart, C.E., see Vernon, S.D. (27) 133
Hornbuckle, W.E., see Kew, M.C. (27) 229
Hwang, C.B.C., see Shillitoe, E.J. (27) 239
Hyypiä, T., Kallajoki, M., Maaronen, M., Stanway, G., Kandolf, R., Auvinen, P. and Kalimo, H.
Pathogenetic differences between coxsackie A and B virus infections in newborn mice (27) 71

Icenogle, J.P., see Vernon, S.D. (27) 133
Inada, T.
Replication of lactate dehydrogenase-elevating virus in various species cell lines infected with dual-, ampho- and xenotropic murine leukaemia viruses in vitro (27) 267

Jack, P.L., see Foulds, I.J. (27) 79
James, C.M., see Foulds, I.J. (27) 79

Kalimo, H., see Hyypiä, T. (27) 71
Kallajoki, M., see Hyypiä, T. (27) 71
Kandolf, R., see Hyypiä, T. (27) 71
Keese, P., see Chu, P.W.G. (27) 161
Kew, M.C., Chestnut, T., Baldwin, B.H., Hornbuckle, W.E., Tennant, B.C., Purcell, R.H. and Miller, R.H.
Heterogeneity of the woodchuck hepatitis virus genome in a chronically infected woodchuck (27) 229
Khudyakov, Y.E., Favorov, M.O. and Fields, H.A.
A small open reading frame of the hepatitis delta virus antigenomic RNA encodes a protein that elicits antibodies in some infected patients (27) 13
Kitamura, K., Zaki, S.R., Greer, P.W., Sinha, S.D. and Folks, T.M.
Tumor necrosis factor-alpha induces circular forms of human immunodeficiency virus type-1 DNA in the persistently infected low-level expressing cell line, ACH-2 (27) 113
Kolykhalov, A.A., see Shchelkunov, S.N. (27) 25

Larkin, P., see Chu, P.W.G. (27) 173
Lashkevich, V.A., see Gritsun, T.S. (27) 201
Lea, V.J., see Foulds, I.J. (27) 79
Lemay, G., see Danis, C. (27) 253
Lenoir, G.M., see Cordier-Bussat, M. (27) 55
Li, Z.-y., see Chu, P.W.G. (27) 173
Lozano, M.E., Ghiringhelli, P.D., Romanowski, V. and Grau, O.
A simple nucleic acid amplification assay for the rapid detection of Junín virus in whole blood samples (27) 37

Maaronen, M., see Hyypiä, T. (27) 71
Mabrouk, T., see Danis, C. (27) 253
Marennikova, S.S., see Shchelkunov, S.N. (27) 25
Miller, R.H., see Kew, M.C. (27) 229

Parra, F., Boga, J.A., Soledad Marin, M. and Casais, R.
The amino terminal sequence of VP60 from rabbit hemorrhagic disease virus supports its putative subgenomic origin (27) 219
Pogodina, V.V., see Gritsun, T.S. (27) 201
Prins, M., see Van der Vlugt, R.A.A. (27) 185
Purcell, R.H., see Kew, M.C. (27) 229

Qiu, B.-s., see Chu, P.W.G. (27) 161
Qiu, B.-s., see Chu, P.W.G. (27) 173

Reeves, W.C., see Vernon, S.D. (27) 133
Resenchuk, S.M., see Shchelkunov, S.N. (27) 25
Romanowski, V., see Lozano, M.E. (27) 37

Sandakhchiev, L.S., see Shchelkunov, S.N. (27) 25
Shchelkunov, S.N., Blinov, V.M., Totmenin, A.V., Marennikova, S.S., Kolykhalov, A.A., Frolov, I.V., Chizhikov, V.E., Gytorov, V.V., Gashikov, P.V., Belanov, E.F., Belavin, P.A., Resenchuk, S.M., Andzhaparidze, O.G. and Sandakhchiev, L.S.
Nucleotide sequence analysis of variola virus *Hin*dIII M, L, I genome fragments (27) 25
Shillitoe, E.J., Zhang, S., Wang, G. and Hwang, C.B.C.
Functions and proteins of herpes simplex virus type-1 that are involved in raising the mutation frequency of infected cells (27) 239
Sidebottom, C., see Foulds, I.J. (27) 79
Sinha, S.D., see Kitamura, K. (27) 113
Slabas, A.R., see Foulds, I.J. (27) 79
Soledad Marin, M., see Parra, F. (27) 219

Stanway, G., see Hyypiä, T. (27) 71
Stratford, R., see Foulds, I.J. (27) 79

Tennant, B.C., see Kew, M.C. (27) 229
Totmenin, A.V., see Shchelkunov, S.N. (27) 25

Van der Vlugt, R.A.A., Prins, M. and Goldbach, R.
Complex formation determines the activity of ribozymes directed against potato virus Y^N genomic RNA sequences (27) 185
Venugopal, K., see Gritsun, T.S. (27) 201
Vernon, S.D., Hart, C.E., Reeves, W.C. and Icenogle, J.P.
The HIV-1 *tat* protein enhances E2-dependent human papillomavirus 16 transcription (27) 133
Vuillaume, M., see Cordier-Bussat, M. (27) 55

Wang, G., see Shillitoe, E.J. (27) 239
Warner, C.K., see Xianhe, B. (27) 101
Waterhouse, P.M., see Chu, P.W.G. (27) 161
Wirth, U.V.
Comparison of immediate–early transcripts among bovine herpesvirus type 1 and type 5 strains differing in neurovirulent potential (27) 1

Xianhe, B., Warner, C.K. and Fekadu, M.
Comparisons of nucleotide and deduced amino acid sequences of the glycoprotein genes of a Chinese street strain (CGX89-1) and a Chinese vaccine strain (3aG) of rabies virus (27) 101

Zaki, S.R., see Kitamura, K. (27) 113
Zhang, S., see Shillitoe, E.J. (27) 239

Virus Research, 27 (1993) 289–290

© 1993 Elsevier Science Publishers B.V. All rights reserved 0168-1702/93/$06.00

Subject Index

Amino acid sequence, (27) 219
Antibody, (27) 13
Argentine hemorrhagic fever (AHF), (27) 37

BaMMV, (27) 79
BaYMV, (27) 79
Bovine herpesvirus type 1, (27) 1
Bovine herpesvirus type 5, (27) 1
Bymovirus, (27) 79

Caliciviridae, (27) 219
Chinese, (27) 101
Circular HIV DNA by TNF-α, (27) 113
Cleavage site, (27) 147
Coat protein, (27) 161
Coxsackievirus, (27) 71

EBNA2 transfected B-lymphoma line, (27) 55
EBV-converted B-lymphoma line, (27) 55
Epstein-Barr nuclear antigen 2 (EBNA2), (27) 55
Epstein-Barr virus (EBV), (27) 55

Flavivirus, (27) 201
Full-length clone, (27) 161

Glycoprotein, (27) 101

Hammerhead, (27) 185
Hepatitis B virus, (27) 13
Hepatitis delta virus, (27) 13
Herpes simplex, (27) 239
H1 hemagglutinin, (27) 147
HIV-1, (27) 133
HPV interaction, (27) 133
Hybridization, in situ, (27) 71

Immediate–early transcription, (27) 1
Influenza A virus variant, (27) 147
In situ hybridization, (27) 113
Iododeoxyuridine, (27) 267

Junín virus, (27) 37

Lactate dehydrogenase-elevating virus, (27) 267
Latent membrane protein (LMP), (27) 55

mtr-1, (27) 239
Murine leukaemia virus, (27) 267
Mutagenesis, (27) 239

Neurovirulent potential, (27) 1
Newborn mouse, (27) 71
N-terminal amino acid sequence, (27) 161
Nucleotide sequence, (27) 101, (27) 229

Orthopoxvirus, (27) 25

Paralytic disease, (27) 267
Pathogenicity, (27) 71
Persistent viral infection, (27) 253
Phlebovirus, (27) 119
Polymerase chain reaction, (27) 113
Potato virus Y, (27) 185
Potyvirus, (27) 79, (27) 185
Protoplast, (27) 173

Rabbit hemorragic disease, (27) 219
Rabbit hemorrhagic disease virus, (27) 219
Rabies virus, (27) 101
Rapid diagnosis, (27) 37
Receptor binding site, (27) 147
Reovirus, (27) 253
Replication, (27) 173
Replicative form, (27) 161
Ribozyme, (27) 185
dsRNA-activated kinase, (27) 253
RNA Polymerase, (27) 119
RNA secondary structure, (27) 185
RNA virus, (27) 185
RT-PCR, (27) 37

Sequence analysis, (27) 25
Sequencing, (27) 201
Subterranean clover stunt, (27) 173
Subterranean clover stunt virus, (27) 161
Synthetic peptide, (27) 13

Toscana virus, (27) 119

Variola virus, (27) 25
Vasilchenko TBE virus, (27) 201
Virus, (27) 173
VP60, (27) 219

Whole blood, (27) 37
Woodchuck hepatitis virus, (27) 229